

# Safety Data Sheet

	1. IDENTIFICATION	
Product Identifier Product Name	HANDI-CLEAN – THUNDER CONCE	ENTRATE CLEANER
Other means of identification		
SDS #	C1234	
Recommended use of the chemic	al and restrictions on use	
Recommended Use	Cleaner Concentrate.	
Details of the supplier of the safe	tv data sheet	
Supplier Address Handi-Clean Products 301 S. Swing Road Greensboro, NC 27409	- <u>, uuu onoor</u>	
Emergency Telephone Number		
Company Phone Number Emergency Telephone (24 hr)	336-292-3083 INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)	
	2. HAZARDS IDENTIFICATION	
Appearance Green liquid	Physical State Liquid	Odor Technical odd
Classification_		
Skin corrosion/irritation		Category 1
Serious eye damage/eye irritation		Category 1
<u>Signal Word</u> Danger		
Hazard Statements Causes severe skin burns and eye o	damage	

<u>Precautionary Statements - Prevention</u> Use personal protective equipment as required Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling

# C1234 - HANDI-CLEAN – THUNDER

## **Precautionary Statements - Response**

Immediately call a poison center or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a poison center or doctor/physician

IF SWALLOWED: rinse mouth. Do NOT induce vomiting

#### **Precautionary Statements - Storage**

Store locked up

## Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

#### Other Hazards

Harmful to aquatic life with long lasting effects

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%
Alkyloxypolyethyleneoxyethanol	84133-50-6	3-6
Sodium metasilicate	6834-92-0	<2
Isopropanol	67-63-0	<1

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

4. FIRST-AID MEASURES				
First Aid Measures				
General Advice	Provide this SDS to medical personnel for treatment.			
Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.			
Skin Contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a poison center or doctor/physician. Wash off immediately with plenty of water.			
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.			
Ingestion	IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor/physician.			
Most important symptoms and effe	ects			
Symptoms	Causes severe skin burns and eye damage.			
Indication of any immediate medical attention and special treatment needed				
Notes to Physician	Treat symptomatically.			

# **5. FIRE-FIGHTING MEASURES**

## Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable Extinguishing Media Not determined.

#### Specific Hazards Arising from the Chemical

Not determined.

Hazardous Combustion Products Smoke, fumes or vapors, and oxides of carbon.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.			
<b>Environmental Precautions</b>	See Section 12 for additional Ecological Information.			
Methods and material for containment and cleaning up				
Methods for Containment	Prevent further leakage or spillage if safe to do so.			
Methods for Clean-Up	Keep in suitable, closed containers for disposal. Dispose of contents/container to an			

## 7. HANDLING AND STORAGE

approved waste disposal plant.

## Precautions for safe handling

Advice on Safe Handling Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Handle in accordance with good industrial hygiene and safety practice. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands, and any exposed skin thoroughly after handling. Wash contaminated clothing before reuse.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked up.
Incompatible Materials	None known based on information supplied.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium metasilicate 6834-92-0	2 mg/m <sup>3</sup>	2 mg/m <sup>3</sup>	-
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m <sup>3</sup>	(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>
Isopropanol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m <sup>3</sup> (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m <sup>3</sup>	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>

## Appropriate engineering controls

Engineering Controls	Apply technical measures to comply with the occupational exposure limits. Shower Eyewash stations. Ventilation systems.	
Individual protection measures, suc	ch as personal protective equipment	
Eye/Face Protection	Chemical safety goggles are recommended.	
Skin and Body Protection	Impervious gloves and protective clothing are recommended.	
<b>Respiratory Protection</b>	Ensure adequate ventilation, especially in confined areas.	
General Hygiene Consideration	<b>s</b> Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink	

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical State Appearance Color	Liquid Green liquid Green	Odor Odor Threshold	Technical odor Not determined
Property pH Melting Point/Freezing Point Boiling Point/Boiling Range Flash Point Evaporation Rate Flammability (Solid, Gas) Upper Flammability Limits Lower Flammability Limit Vapor Pressure Vapor Density Specific Gravity Water Solubility Solubility in other solvents Partition Coefficient Auto-ignition Temperature Decomposition Temperature Kinematic Viscosity Dynamic Viscosity Explosive Properties Oxidizing Properties	Values12.7Not determinedNot determinedNot determinedLiquid- Not ApplicableNot determinedNot determined	<u>Remarks • Method</u>	

# **10. STABILITY AND REACTIVITY**

#### **Reactivity**

Not reactive under normal conditions.

## **Chemical Stability**

Stable under recommended storage conditions.

## Possibility of Hazardous Reactions

None under normal processing.

#### Conditions to Avoid

Keep out of reach of children.

## **Incompatible Materials**

None known based on information supplied.

#### Hazardous Decomposition Products

None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Product Information	
Eye Contact	Causes severe eye damage.
Skin Contact	Causes severe skin burns.
Inhalation	Do not inhale.
Ingestion	Do not ingest.

## Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium metasilicate 6834-92-0	= 600 mg/kg(Rat)	-	-
Potassium hydroxide 1310-58-3	= 214 mg/kg (Rat)	-	-
Isopropanol 67-63-0	= 4396 mg/kg(Rat)	= 12800 mg/kg (Rat)= 12870 mg/kg (Rabbit)	= 72.6 mg/L (Rat)4 h
Tetrasodium EDTA 64-02-8	= 10 g/kg (Rat)	-	-
Polyethylene glycol 25322-68-3	= 28 g/kg (Rat)	> 20 g/kg (Rabbit)	-

## Information on physical, chemical and toxicological effects

Symptoms

Please see section 4 of this SDS for symptoms.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Carcinogenicity

Group 3 IARC components are "not classifiable as human carcinogens".

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropanol		Group 3		Х
67-63-0				

Legend

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens" OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

#### Numerical measures of toxicity

Not determined

# **12. ECOLOGICAL INFORMATION**

## Ecotoxicity

Harmful to aquatic life with long lasting effects.

#### **Component Information**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Alkyloxypolyethyleneoxyetha		3.2: 96 h Pimephales		3.2: 48 h water flea mg/L
nol		promelas mg/L LC50		EC50
84133-50-6				
Sodium metasilicate		210: 96 h Brachydanio rerio		216: 96 h Daphnia magna
6834-92-0		mg/L LC50 semi-static 210:		mg/L EC50
		96 h Brachydanio rerio mg/L		
		LC50		
Potassium hydroxide		80: 96 h Gambusia affinis		
1310-58-3		mg/L LC50 static		
Isopropanol	1000: 96 h Desmodesmus	9640: 96 h Pimephales		13299: 48 h Daphnia magna
67-63-0	subspicatus mg/L EC50	promelas mg/L LC50 flow-		mg/L EC50
	1000: 72 h Desmodesmus	through 11130: 96 h		
	subspicatus mg/L EC50	Pimephales promelas mg/L		
		LC50 static 1400000: 96 h		
		Lepomis macrochirus µg/L		
		LC50		
Tetrasodium EDTA	1.01: 72 h Desmodesmus	41: 96 h Lepomis		610: 24 h Daphnia magna
64-02-8	subspicatus mg/L EC50	macrochirus mg/L LC50		mg/L EC50
		static 59.8: 96 h Pimephales		
		promelas mg/L LC50 static		
Polyethylene glycol		5000: 24 h Carassius		
25322-68-3		auratus mg/L LC50		

## Persistence/Degradability

Not determined.

## **Bioaccumulation**

Not determined.

# Mobility

Chemical Name	Partition Coefficient	
Isopropanol	0.05	
67-63-0		

#### **Other Adverse Effects**

Not determined

## **13. DISPOSAL CONSIDERATIONS**

#### Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

## California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Isopropanol	Toxic
67-63-0	Ignitable

14. TRANSPORT INFORMATION				
<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.			
DOT	Not regulated			
IATA_	Not regulated			
IMDG_	Not regulated			

# **15. REGULATORY INFORMATION**

#### International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Alkyloxypolyethyleneoxyetha nol	Present	Х				Present	Х	Present	Х	Х
Sodium metasilicate	Present	Х		Present		Present	Х	Present	Х	Х
Isopropanol	Present	Х		Present		Present	Х	Present	Х	Х

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Na	ne Ha	azardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium hydro	oxide	1000 lb		RQ 1000 lb final RQ
1310-58-3				RQ 454 kg final RQ

# C1234 - HANDI-CLEAN – THUNDER

**Special Hazards** 

Not determined Personal Protection

Not determined

# SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Isopropanol - 67-63-0	67-63-0	<1	1.0

#### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CI	hemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Pota	assium hydroxide	1000 lb			Х

#### US State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals.

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Potassium hydroxide 1310-58-3	Х	Х	Х
Isopropanol 67-63-0	Х	Х	Х

# **16. OTHER INFORMATION**

<u>NFPA</u>	Health Hazards	Flammability	Instability
HMIS_	Not determined Health Hazards	Not determined Flammability	Not determined Physical Hazards
	Not determined	Not determined	Not determined
Issue Date:	21-Nov-201	4	
Revision Date:	26-Nov-201	4	
Revision Note:	New format		

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

## End of Safety Data Sheet